

3D model is available on request

MP: Mounting plate for valve mounting with 3/4" threaded port

Specifications

Support configuration	Tank				
	14018287	14018278	14018279	14018288	
Part number Aluminium plus	14018287	14018278	14018279	14018288	
Support with rubber, strap with rubber, mounting kit & air breather included	14020166				1H
	14020167				3H
W : Width	380	440	495	580	mm
MW : Mounting Width min / max	195 / 225	200/275	220 / 330	250 / 415	mm
Gross volume	155	179	201	236	litres
Working volume	130	150	170	200	litres
Weight tank (Aluminium)	18.1	19.3	20.4	22.1	kg
A : Suction port	1.5"	1.5"	1.5"	1.5"	BSP
Extra Return Port (RP) size	1"	1"	1"	1"	BSP

The port of the left mounting plate (MP) and the extra return port (RP) are closed with a steel plug and sealing.

Other ports are closed with temporary plastic plugs

Technical notes

- Mount the tank according the mounting instructions · Fill the tank with the recommended hydraulic oil to the centre of the level indicator · Change the oil once a year · Replace the air breather and return filter element twice a year · Do not use the tank to stand on or as a support · Do not weld on the oil tank
- The sticker for this oil tank is included in the tank packaging as a separate entity · Sticker have to be applied.

Related documentation

Mounting instructions: OIL-0014

Oil specifications: OIL-0011

Supports, straps, rubbers, air breather & mounting kits

Double support


Full kit

Part no.	Description
14020166	Full kit for support with one hole**
14020167	Full kit for support with three holes**


** Full kit = 2 x Support with rubber, 2 x strap with rubber, mounting kit & air breather included

Separate support parts


No.	Part no.	Description	Weight [kg]
01 & 02	14020310	Support with one hole incl. rubber	8.7
01 & 02	14020311	Support with three holes incl. rubber	8.7
02	14020436	Rubber for support	0.4
03 & 04	14020309	Strap with rubber	1.4
03	14020428	Rubber fir strap	0.2



Detail support with one hole and support with three holes



Air Breather



No.	Part no.	Description	Weight [kg]
05	08102116	Air breather	0.4

Return filters




No.	Part no.	Description	Weight [kg]
06	14780353	Return filter housing type 250 L/m	1.4
07	14895924	Return filter plate type 250 L/m*	1.68

If hoses larger than 3/4" or multiple hoses are connected to the return filter house version (no's 06)


*Filter with mounting plate for tipping valve

Accessories




No.	Part no.	Description	Weight [kg]
08	01040002	Spacer 295x60x40 for MAN	0.8
	01040003	Spacer 298x60x27 for MAN	0.5
	01040004	Spacer 160x60x8 for Renault	0.1
	01040005	Spacer 120x60x20/16 for Mercedes	0.3
	01040006	Spacer 230x60x6/2 for Mercedes	0.1
	01040007	Spacer Flat 67MM Iveco	0.7
09	14020125	Washer kit for M16 bolt	0.2

Valve mounting options




Top mounted valve



Valve mounted on chassis or cylinder (SAE)

Mounting options



Part no.	Description	Qty
01317987	Adaptor kit 90 for return filter-1" BSPOTC	1
see adaptor kit	Adaptor-90-elbow-1" BSPOTC	1
see adaptor kit	Bolt HSHC M8x16x1.25 DIN 912 ZP	2
see adaptor kit	O-Ring 34.60x2.62	1